

USER INFORMATION

PRODUCT REFERENCE

4502100

TG1 Pro Glove

MANUFACTURER'S DETAILS:

Goldfreeze Ltd,
23 Sleaford Business Park,
East Road, Sleaford, NG34
7EQ.

CERTIFICATION BODY:

SATRA Technology Europe Ltd.
Bracetown Business Park
Clonee D15 YN2P Ireland
Notified body no: 2777

These products have been
tested in accordance with the
PPE (EU) Regulation 2016/425.

MARKING:

The product is marked with:

- The CE mark
- The Manufacturer/
authorised representative
- The product code
- The size
- The pictogram with the
relevant standard number
and performance figures.

DECLARATION OF CONFORMITY:

Available at
www.goldfreeze.com

CAREFULLY READ THESE INSTRUCTIONS BEFORE USING PRODUCT

This product is designed to minimise the risk of / provide protection against general mechanical risk. However, always remember that no item of PPE can provide full protection and care must always be taken when carrying out the risk-related activity. Gloves shall not be worn when there is a risk of entanglement in moving parts of machinery.

FITTING AND SIZING

Only wear products of a suitable size. Products which are either too loose or too tight will restrict movement and will not provide the optimum level of protection. **The size of these products is marked on the glove and the are available in the following sizes: S, M, L, XL, 11**

STORAGE AND TRANSPORT

When not in use, store the product in a well-ventilated area away from extremes of temperature. If the product becomes wet, allow it to dry before placing into storage.

CLEANING

The performance levels quoted are for products in an as new condition and cannot be guaranteed if the product is laundered. Hence it is recommended these products should not be washed or dry cleaned.

INSPECTION BEFORE AND AFTER USE

If the product becomes damaged it will NOT provide the optimum protection and must be discarded and replaced. Never use a damaged product. If in doubt consult the manufacturer.

PERFORMANCE AND LIMITATIONS OF USE

These products have been tested in accordance with EN511:2006 and EN388:2016 and have achieved the following performance levels:

EN511:2006

Performance levels achieved:

Convective Cold - Level 2

(Maximum level 4)

Contact Cold - Level 1

(Maximum level 4)

Water penetration - Level X

(0 = water penetration after 30 mins)

EN388:2016

Performance levels achieved:

Abrasion resistance - Level 3

(Maximum level 4)

Blade cut resistance - Level 2

(Maximum level 5)

Tear resistance - Level 2

(Maximum level 4)

Puncture resistance - Level 1

(Maximum level 4)

ISO Cut resistance - Level X

(X - not tested)

Note: The EN388 performance levels achieved only apply to the palm of the hand. The gloves will not protect against chemicals, handling of hot objects, or against very sharp objects which impact the hand at great force or speed. They will not prevent crushing injuries associated with vibration. This glove may lose its insulative properties when wet.

EN511:2006



2 1 X

EN388



3 2 2 1 X

