



AQUATHAN®



**Thinsulate™**  
INSULATION

SIZE	ART. NO.	EAN NO.
8	293-8	7392626076068
9	293-9	7392626060418
10	293-10	7392626060425
11	293-11	7392626060432
12	293-12	7392626060449

## TEGERA® 293

Leather glove, winter-lined, 0,7-0,8 mm full grain goatskin, polyester, Thinsulate™ 40g, Cat. II, yellow high-viz, black, white, high-viz colour, wind and waterproof back, waterproof, elasticated 360°, for allround work

### PROPERTIES

High level of protection, extremely good fingertip sensitivity, extra flexible, durable, good grip, perfect fit, extra comfortable, warm

### SPECIFICATION

TYPE OF GLOVE Cold insulation gloves

CATEGORY Cat. II

SIZE RANGE (EU) 8, 9, 10, 11, 12

PALM MATERIAL Full grain goatskin

PALM THICKNESS 0,7-0,8 mm

BACK MATERIAL Polyester

LINING Winter-lined

LINING MATERIAL Thinsulate™ 40g

CLO LINING 0,7 m²·K/W

DEXTERITY 3

FASTENING Elasticated 360°

LENGTH RANGE 250-285 mm

COLOUR Yellow high-viz, black, white

PAIRS PER PACKAGE/CARTON 6/60

DISPLAY Hook with hangtag  
SPECIFICATION Leather, polyester, natural latex

MIDDLE MATERIAL SPECIFICATION Polyethylene

INNER MATERIAL SPECIFICATION Polyester

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.



CE Cat. II



## TEGERA® 293

### FEATURES

High-viz colour, reinforced fingers and thumb, waterproof

### PREVENTS RISK OF

Abrasion injuries, blisters, grazes, scratches, lacerations, contact with dirt, contact with moisture, contact with damp, contact with cold

### PRIMARY ENVIRONMENTS OF USE

Dark environments, windy environments, cold environments, wet environments

### PRIMARY AREAS OF USE

Building and construction, carpentry, installation work, HVAC installation, construction, soil preparation, concrete work, machine driving, warehouse work, airport work, electric power work, wood industry work, gardening, repair work, fishing, hunting, sanitation

### PRIMARY INDUSTRIES OF USE

Automotive, transportation, building and construction, logistics, facilities, service, retail

### TYPE OF WORK

Medium weight

2(3)

**ejendals**  
PROTECTING HANDS AND FEET

#### EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2020-03-19

## TEGERA® 293

### EC TYPE EXAMINATION

Notified Body: 0075 CTC, 4 rue Hermann Frenkel, 69367  
Lyon Cedex 07 France

### COMPLIANCE DESCRIPTION

EN 420:2003 + A1:2009 Protective gloves - general  
requirements and test methods

EN 388:2003 Protective gloves against mechanical risks

Property	Level Achieved	(Maximum Performance)
A) Resistance to abrasion (No. of revolutions)	2	(4)
B) Resistance to cutting (Index)	1	(5)
C) Tear resistance (Newton)	2	(4)
D) Puncturing resistance (Newton)	1	(4)

EN 388 - Testing (specifies the requirements that apply for  
each safety level).

Level of protection/Performance level	1	2	3	4	5
A) Resistance to abrasion (No. of revolutions)	100	500	2 000	8 000	
B) Resistance to cutting (Index)	1,2	2,5	5,0	10,0	20,0
C) Tear resistance (Newton)	10	25	50	75	
D) Puncturing resistance (Newton)	20	60	100	150	

EN 511:2006 Protective gloves against cold



CE Cat. II



All values for the specified product are indicated without tolerances and may vary  
to actual value for individual products. We reserve the right to modify or update the  
information in this document without prior notice.

2020-03-19

**ejendals**  
PROTECTING HANDS AND FEET

**EJENDALS AB**

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com